

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A method of displaying a video signal with video lines in a video field period on a plasma display panel having a first and a second display field of display lines, the display lines of the first display field being in an interlaced position with respect to the display lines of the second display field, the method comprising the steps:

alternately selecting, ~~for each field period,~~ the first display field only for a first time period lasting longer than the video a plurality of field periodsperiod, and then, ~~for each field period,~~ the second display field only for a second time period lasting a plurality of longer than the video field periodsperiod; and

supplying, for each video field period, the video lines of the video signal to the display lines of the selected display field.

2. (Previously Presented) The method as claimed in claim 1, characterized in that the number of video lines in a video field period is smaller than or substantially equal to the number of display lines of the first or second display field.

3. (Previously Presented) The method as claimed in claim 1, characterized in that the respective time periods are substantially longer than the video field period.

4. (Currently Amended) A circuit for displaying a video signal with video lines in a video field period on a plasma display panel having a first and a second display field of display lines, the display lines of the first display field being in an interlaced position with respect to the display lines of the second display field, the circuit comprising:

means for alternately selecting, ~~for each field period,~~ the first display field only for a first time period lasting a ~~plurality of~~ longer than the video field period, and then, ~~for each field period,~~ the second display field only for a second time period lasting a ~~plurality of~~ longer than the video field period; and

means for supplying, for each video field period, the video lines of the video signal to the display lines of the selected display field.

5. (Currently Amended) A plasma display device comprising a plasma display panel and a circuit for displaying a video signal with video lines in a video field period on a plasma display panel having a first and a second display field of display lines, the

5 display lines of the first display field being in an interlaced position with respect to the display lines of the second display field, the circuit comprising:

means for alternately selecting, ~~for each field period,~~
the first display field only for a first time period lasting a
10 ~~plurality of~~longer than the video field period~~speriod~~, and then,
~~for each field period,~~ the second display field only for a second
time period lasting a ~~plurality of~~longer than the video field
~~periodsperiod~~; and

means for supplying, for each video field period, the
15 video lines of the video signal to display lines of the selected display field.